



PURSUE PERFECTION



2025 CATALOGUE



“Be the most valuable supplier in bicycle industry”.

QUANDO

QUANTA

MTB

DH/BOOST

H5TR / TWXF / H5ER / T50F / H4ER
TW1F / MZ5R / MS6F / EB8R / ES8R

MTB-XC

ME6F / ME6R / SN3F / CUER
K68F / K68R / CU8R / TD6R
KF9F / CU2R / TC7F / TC7R / CU7R

MTB-VBrake

A15F / AYER / A12R / 122F / 122R

FAT BIKE

S3CF / CUMR / M9CF / H9TR

ROAD

599F / GT2R / GP5F / 515F / GTER / 512R

Gravel/Road Disc

XF1F / TZDR / CUNR / TZ0F / TZYR / MSCF / SNCR

Fixed Gear/TRACE

DP6F / DP6R / 576F / 513R

BMX

Dirt Jump/ Free Style

MBAF/MBAR/MIOF/MI8R
MHGF/ M15R
M18F/M89R/A89R/3V5R

Racing

M6GF / M95R

FOLDING BIKE

A8BF / ABOR / A8QF / A5QR

COASTER BRAKE

305R / 3A5R / 319R

TRIKE

762R / 155F / 156F / 16CR / 3D5R

SPARE PARTS

02

10

10

14

16

18

20

22

26

27

28

30

32



KT-H5TR

485 g

- Use** DH, Boost, E-MTB
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Cr-Mo Cassette 5 Pawls and 5 Spring w/45T
Available for Shimano MS , HG , Sram XD Driver
- Bearing** Sealed. x 4 pcs + Needle Bearing 1 pc
- Axle** Cr-Mo Steel
- Axle Dim** 19 (ID12)*148mm
- Spoke** 14G. 32,36
- Flange PCD** 61mm
- Flange Spacing** 60mm



197 g

KT-TWXF

- Use** Downhill, Boost, E-MTB
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Bearing** Sealed. x 2 pcs
- Axle** 7075 Alloy. Machined
- Axle Dim** ID15*110mm
- Spoke** 14G. 32,36
- Flange PCD** 58mm
- Flange Spacing** 64mm



442 g

KT-H5ER

- Use** DH, Boost, E-MTB
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Cr-Mo Cassette 3 Pawls and 1 Spring
Available for Shimano MS , HG , Sram XD Driver
- Bearing** Sealed. x 5 pcs
- Axle** Cr-Mo Steel
- Axle Dim** 19 (ID12)*148mm
- Spoke** 14G. 32,36
- Flange PCD** 58mm
- Flange Spacing** 58.5mm



186 g

KT-T50F

- Use** Freeride, DH, E-MTB
- Features** Center lock
- Body** Alloy 1 Piece Forged. CNC
- Bearing** Sealed. x 2 pcs
- Axle** 7075 Alloy. Machined
- Axle Dim** ID15*110mm
- Spoke** 14G. 32,36
- Flange PCD** 45mm
- Flange Spacing** 65mm



442 g

KT-H4ER

- Use** DH, Boost, E-MTB
- Features** Center lock
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Cr-Mo Cassette 3 Pawls and 1 Spring
Available for Shimano MS , HG , Sram XD Driver
- Bearing** Sealed. x 5 pcs
- Axle** Cr-Mo Steel
- Axle Dim** 19 (ID12)*148mm
- Spoke** 14G. 32,36
- Flange PCD** 58mm
- Flange Spacing** 60mm



KT-TW1F



- Use** Downhill, Boost, E-MTB
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Bearing** Sealed. x 2 pcs
- Axle** 7075 Alloy. Machined
- Axle Dim** ID15*110mm
- Spoke** 14G. 32,36
- Flange PCD** 58mm
- Flange Spacing** 64mm



KT-MS6F



- Use** Downhill, Boost
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Rolling System** Loose balls
- Axle** Cr-Mo steel
- Axle Dim** ID15*110mm
- Spoke** 14G. 32,36
- Flange PCD** 58mm
- Flange Spacing** 64mm



KT-MZ5R Single speed



- Use** Freeride, DH
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Alloy Cassette 5 Pawls and 5 Spring
- Bearing** Sealed. x 4 pcs
- Axle** Cr-Mo Steel
- Axle Dim** 19(ID12)*142mm
- Spoke** 14G. 32,36
- Flange PCD** 58mm
- Flange Spacing** 78mm



KT-EB8R 8/9/10/11S



- Use** DH, Boost, E-MTB
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Cr-Mo Cassette 4 Pawls and 1 Spring
E-MTB Exclusive Shimano HG Driver
- Bearing** Sealed. x 2 pcs
- Axle** Cr-Mo Steel
- Axle Dim** 19 (ID12)*148mm
- Spoke** 14G. 32,36
- Flange PCD** 66mm
- Flange Spacing** 61mm
- Option** EQ8R Center Lock Version



KT-ES8R 8/9/10/11S



- Use** DH, Boost, E-MTB
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Cr-Mo Cassette 4 Pawls and 1 Spring
E-MTB Exclusive Shimano HG Driver
- Rolling System** Loose balls
- Axle** Cr-Mo Steel
- Axle Dim** 19 (ID12)*148mm
- Spoke** 14G. 32,36
- Flange PCD** 66mm
- Flange Spacing** 61mm
- Option** EC8R Center Lock Version





KT-ME6F



Use XC, Commuter
Features Disc Brake Mount
Body Alloy 1 Piece Forged. CNC
Bearing Sealed. x 2 pcs
Axle 7075 Alloy. Machined
Axle Dim M9*100mm*108mm
Spoke 14G. 28,32,36
Flange PCD L: 58mm
Flange Spacing 57.5mm



KT-ME6R 8/9/10/11S



Use XC, Commuter
Features Disc Brake Mount
Body Alloy 1 Piece Forged. CNC
Freewheel Alloy Cassette 5 Pawls & 5 spring
Bearing Sealed. x 4 pcs
Axle 7075 Alloy. Machined
Axle Dim M10*135mm*145mm
Spoke 14G. 28,32,36
Flange PCD 58mm
Flange Spacing 58mm



KT-SN3F



Use XC, Commuter
Features Disc Brake Mount
Body Alloy 1 Piece Forged. CNC
Bearing Sealed. x 2 pcs
Axle Cr-Mo
Axle Dim M9*100mm*108mm
Spoke 14G. 28,32,36
Flange PCD 58mm
Flange Spacing 58mm
Option Option: SN6F w/o CNC Disc Mount and Flange



KT-CUER 8/9/10/11S



Use XC, Commuter
Features Disc Brake Mount
Body Alloy 1 Piece Forged. CNC
Freewheel Steel Splined 3 Pawls
Bearing Sealed. x 2pcs
Axle Cr-Mo Steel
Axle Dim M10*135mm*145mm
Spoke 14G. 28,32,36
Flange PCD 58mm
Flange Spacing 55.5mm



KT-K68F

- Use** XC, Commuter, Urban
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Rolling System** Loose Balls
- Axle** Cr-Mo Steel
- Axle Dim** M9*100mm*108mm
- Spoke** 14G. 28,32,36
- Flange PCD** 58mm
- Flange Spacing** 53.25mm
- Option** KT-K88F 3/8" solid axle



KT-K68R 8/9/10/11S

- Use** XC, Commuter, Urban
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Steel Screwing 2 Pawls
- Rolling System** Loose Balls
- Axle** Cr-Mo Steel
- Axle Dim** M10*135mm*145mm
- Spoke** 14G. 28,32,36
- Flange PCD** 57mm
- Flange Spacing** 56.5mm
- Option** KT-K88R 3/8" solid axle
KT-K69R for Sram PG 12sp



CU8R 8/9/10/11S

- Use** XC, Commuter, Urban
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Steel Screwing 2 Pawls
- Rolling System** Loose Balls
- Axle** Cr-Mo Steel
- Axle Dim** M10*135mm*145mm
- Spoke** 14G. 28,32,36
- Flange PCD** 58mm
- Flange Spacing** 55.5mm
- Option** KT-CU5R 3/8" solid axle



KT-TD6R 7S

- Use** XC, Commuter, Urban
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Thread Type
- Rolling System** Loose Balls
- Axle** Cr-Mo Steel
- Axle Dim** 3/8"135mm*175mm
- Spoke** 14G. 28,32,36
- Flange PCD** 58mm
- Flange Spacing** 56.75mm
- Option** TD3R-3/8"*114mm*170mm 1S
TDAR-3/8" Axle 8/9S
TD7R-M10 QR Type 7S
TD8R-M10 QR Type 8/9S





KT-KF9F



Use Commuter / City-E-Bike
 Features Disc Brake Mount
 Body Alloy 1 Piece Forged. CNC
 Rolling System Loose Balls
 Axle Cr-Mo
 Axle Dim 3/8"100mm*140mm
 Spoke 14G. 28,32,36
 Flange PCD 58mm
 Flange Spacing 53.25mm



KT-TC7F



Use XC, Commuter, Urban
 Features Center lock
 Body Alloy 1 Piece Forged. CNC
 Rolling System Loose Balls
 Axle Cr-Mo Steel
 Axle Dim M9*100mm*108mm
 Spoke 14G. 28,32,36
 Flange PCD 45mm
 Flange Spacing 55mm



KT-CU2R 8/9/10/11S



Use Commuter / City-E-Bike
 Features Disc Brake Mount
 Body Alloy 1 Piece Forged. CNC
 Rolling System Rolling System: Loose Balls
 Axle Cr-Mo
 Axle Dim 3/8"135mm*175mm
 Spoke 14G. 28,32,36
 Flange PCD 58mm
 Flange Spacing 55.5mm



KT-TC7R 8/9/10/11S



Use XC, Commuter, Urban
 Features Center lock
 Body Alloy 1 Piece Forged. CNC
 Freewheel Steel Screwing 2 Pawls
 Rolling System Loose Balls
 Axle Cr-Mo Steel
 Axle Dim M10*135mm*145mm
 Spoke 14G. 28,32,36
 Flange PCD 45mm
 Flange Spacing 56mm



KT-CU7R 8/9/10/11S



Use XC, Commuter, Urban
 Features Center lock
 Body Alloy 1 Piece Forged. CNC
 Freewheel Steel Screwing 2 Pawls
 Rolling System Loose Balls
 Axle Cr-Mo Steel
 Axle Dim M10*135mm*145mm
 Spoke 14G. 28,32,36
 Flange PCD 45mm
 Flange Spacing 55.5mm
 Option KT-CU6R 3/8" solid axle



KT-A15F



- Use** Economic XC, Commuter, Urban
- Features** V-Brake
- Body** Alloy 1 Piece Forged. CNC
- Rolling System** Loose Balls
- Axle** Cr-Mo Steel
- Axle Dim** M9*100mm*108mm
- Spoke** 14G. 28,32,36
- Flange PCD** 38mm
- Flange Spacing** 71.5mm
- Option** A55F-Rubber Seal
A16F-3/8" Axle w/Steel Cap
A56F-3/8" Axle, Rubber Seal
A14F-M9 Solid Axle



KT-122F



- Use** Economic, Commuter, Urban
- Features** V-Brake
- Body** Steel
- Rolling System** Balls Retainer
- Axle** S45C Steel
- Spoke** 14G. 16,20,28,36
- Flange PCD** 38mm
- Flange Spacing** 69mm
- Option** KT-122FQR M9 QR version (Cr-Mo Axle)



KT-A12R 6/7S



- Use** XC, Commuter, Urban
- Features** V-Brake
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Steel Screwing 2 Pawls
- Rolling System** Loose Balls
- Axle** Cr-Mo Steel
- Axle Dim** M10*135mm*145mm
- Spoke** 14G. 28,32,36
- Flange PCD** 45mm
- Flange Spacing** 58.5mm
- Option** AZER-M10 QR Type w/Rubber Seal 8/9/10S
AZDR-3/8" Axle w/Rubber Seal 8/9/10S
AYDR-3/8" Axle w/Steel Cap 8/9/10S
AY1R-3/8" Axle w/Steel Cap 7S
AZ1R-3/8" Axle w/Rubber Seal 7S
AZ2R-M10 QR Type w/Rubber Seal 7S
AY2R-M10 QR Type w/Steel Cap 7S



KT-122R 6/7S



- Use** Economic, Commuter, Urban
- Features** V-Brake
- Body** Steel
- Freewheel** Thread Type
- Rolling System** Balls Retainer
- Axle** S45C Steel
- Axle Dim** 3/8"*135mm*175mm
- Spoke** 14G. 16,20,28,36
- Flange PCD** 45mm
- Flange Spacing** 56mm
- Option** KT-122RQR-M10 QR version (Cr-Mo Axle)



KT-A12R 6/7S



- Use** Economic XC, Commuter, Urban
- Features** V-Brake
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Thread Type
- Rolling System** Loose Balls
- Axle** Cr-Mo Steel
- Axle Dim** M10*135mm*145mm
- Spoke** 14G. 24,28,32,36
- Flange PCD** 45mm
- Flange Spacing** 57mm
- Option** A11R-3/8" Axle 6/7S
A13R-3/8" Axle Single Speed
A1HR-3/8" Axle 8S
A1ER-M10 QR Type 8S
A51R-3/8" Axle w/Rubber Seal 6/7S
A52R-M10 QR Type w/Rubber Seal 6/7S
A5ER-M10 QR Type w/Rubber Seal 8S





KT-S3CF

- Use** Fat Bike
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Bearing** Sealed. x 2 pcs
- Axle** 7075 Alloy. Machined
- Axle Dim** ID15*135mm
- Spoke** 14G. 32,36
- Flange PCD** 58mm
- Flange Spacing** 81mm
- Option** SL5F 3/8"*135mm*175mm
loose ball Nut type



KT-CUMR 8/9/10/11S

- Use** Fat Bike
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Cr-Mo Cassette 3 Pawls & 1 Spring
- Bearing** Sealed. x 2 pcs
- Axle** 7075 Alloy. Machined
- Axle Dim** ID12*177mm
- Spoke** 14G. 32,36
- Flange PCD** 58mm
- Flange Spacing** 90mm
- Option** CUHR 3/8"*170mm*210mm loose ball Nut type



KT-M9CF

- Use** Fat Bike
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Bearing** Bearing: Sealed. x 2 pcs
- Axle** 7075 Alloy. Machined
- Axle Dim** ID15*150mm
- Spoke** 14G. 3236
- Flange PCD** 58mm
- Flange Spacing** 98mm



KT-H9TR 8/9/10/11S

- Use** Fat Bike
- Features** Disc Brake Mount
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Cr-Mo Cassette 5 Pawls and 5 Spring w/45T
Available for Shimano MS , HG , Sram XD Driver
- Bearing** Sealed. x 4 pcs + Needle Bearing 1 pc
- Axle** Cr-Mo Steel
- Axle Dim** ID12*197mm
- Spoke** 14G. 32 36
- Flange PCD** 61mm
- Flange Spacing** 96mm



KT-599F



Use Road, Commuter, Urban
Features U-Brake
Body Alloy 1 Piece Forged. CNC
Bearing Sealed. x 2 pcs
Axle 7075 Alloy. Machined
Spoke 14G. 24,28,36
Flange PCD 40mm
Flange Spacing 74mm



KT-GP5F



Use Road, Commuter, Urban
Features U-Brake
Body Alloy 1 Piece Forged. CNC
Rolling System Burnished Loose Balls
Axle Cr-Mo Steel
Axle Dim M9*100mm*108mm
Spoke 14G. 24,28
Flange PCD 34mm
Flange Spacing 72mm
Option G15F-Steel Dust Cap



KT-515F



Use Economic Road, Commuter, Urban
Features U-Brake
Body Alloy 1 Piece Forged. CNC
Rolling System Loose Balls
Axle Cr-Mo Steel
Axle Dim M9*100mm*108mm
Spoke 14G. 24,28,36
Flange PCD 40mm
Flange Spacing 74mm
Option 516F-3/8" Axle w/Steel Cap
 566F-3/8" Axle w/Rubber Seal



KT-GT2R 11S for Road series



Use Road, Commuter, Urban
Features U-Brake
Body Alloy 1 Piece Forged. CNC
Freewheel Steel Splined 3 Pawls
Bearing Sealed. x 2pcs
Axle 7075 Alloy. Machined
Axle Dim M10*130mm*140mm
Spoke 14G. 28,32,36
Flange PCD 46mm
Flange Spacing 50mm
Option GT1R 8/9/10spd



KT-GTER 11S for Road series



Use Road, Commuter, Urban
Features U-Brake
Body Alloy 1 Piece Forged. CNC
Freewheel Steel Screwing 2 Pawls
Rolling System Loose Balls
Axle Cr-Mo Steel
Axle Dim M10*130mm*140mm
Spoke 14G. 24,28,32,36
Flange PCD 45mm
Flange Spacing 57mm



KT-512R 6/7S



Use Economic Road, Commuter, Urban
Features U-Brake
Body Alloy 1 Piece Forged. CNC
Freewheel Thread Type
Rolling System Loose Balls
Axle Cr-Mo Steel
Axle Dim M10*130mm*140mm
Spoke 14G. 28,32,36
Flange PCD 45mm
Flange Spacing 57mm
Option 511R-3/8 Axle 6/7S
 513R-3/8 Axle Single Speed
 551R-3/8 Axle w/Rubber Seal 6/7S
 552R-M10 QR Type w/Rubber Seal 6/7S



KT-XF1F



Use Freeride, Gravel
Features Disc Brake Mount
Body Alloy 1 Piece Forged. CNC
Bearing Sealed. x 2 pcs
Axle 7075 Alloy. Machined
Axle Dim ID12*100mm
Spoke 14G. 32,36
Flange PCD R:58mm/L:45mm
Flange Spacing 58mm



KT-TZOF 8/9/10/11S



Use Freeride, Gravel
Features Center lock
Body Alloy 1 Piece Forged. CNC
Rolling System Sealed. x 2 pcs
Axle 7075 Alloy. Machined
Axle Dim ID12*100mm
Spoke 14G. 32,36
Flange PCD 45mm
Flange Spacing 55mm



KT-TZYR 11S for Road series



Use Freeride, Gravel
Features Center lock
Body Alloy 1 Piece Forged. CNC
Freewheel Cr-Mo Cassette 3 Pawls and 1 spring
Bearing Sealed. x 4 pcs
Axle Cr-Mo Steel
Axle Dim 19 (ID12)*142mm
Spoke 14G. 32,36
Flange PCD 58mm
Flange Spacing 54.5mm



KT-TZDR 11S for Road series



Use Freeride, Gravel
Features Disc Brake Mount
Body Alloy 1 Piece Forged. CNC
Freewheel Cr-Mo Cassette 3 Pawls and 1 spring
Bearing Sealed. x 4 pcs
Axle Cr-Mo Steel
Axle Dim 19 (ID12)*142mm
Spoke 4G. 32,36
Flange PCD 58mm
Flange Spacing 54.5mm



KT-MSCF



Use Gravel
Features Disc Brake Mount
Body Alloy 1 Piece Forged. CNC
Bearing Loose balls
Axle Cr-Mo Steel
Axle Dim ID12*100mm
Spoke 14G. 32,36
Flange PCD R:58mm/L:45mm
Flange Spacing 58mm
Option KT-MSEF center lock version.



KT-SNCR 11S for Road series



Use Gravel
Features Disc Brake Mount
Body Alloy 1 Piece Forged. CNC
Freewheel Cr-Mo Cassette 3 Pawls and 1 spring
Bearing Loose balls
Axle Cr-Mo Steel
Axle Dim 19 (ID12)*142mm
Spoke 14G. 32,36
Flange PCD R:58mm/L:48mm
Flange Spacing 57mm
Option KT-SNDR center lock type



KT-CUNR 11S for Road series



Use Freeride, Gravel
Features Disc Brake Mount
Body Alloy 1 Piece Forged. CNC
Freewheel Cr-Mo Cassette 3 Pawls and 1 spring
Bearing Sealed. x 2 pcs
Axle Cr-Mo Steel
Axle Dim 19 (ID12)*142mm
Spoke 14G. 32,36
Flange PCD 58mm
Flange Spacing 55.5mm
Option CULR Center Lock Version



KT-DP6F

- Use** Fixie, Track, Commuter
- Features** High Flange
- Body** Alloy 1 Piece Forged. CNC
- Bearing** Sealed. x 2 pcs
- Axle** Cr-Mo Steel
- Axle** 3/8"*100mm*140mm
- Spoke** 14G. 28,32,36
- Flange PCD** 62.5mm
- Flange Spacing** 70.5mm
- Option** DP7F-Loose Balls
DPBF-Loose Balls w/o CNC Flange
DS9F-Loose Balls M9 Solid Axle
DP5F-M9 QR Type
DK6F-Bolts Type



KT-DP6R Single Speed

- Use** Fixie, Track, Commuter
- Features** High Flange
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Thread Type L: Double Thread/R: B.C. 1.37*24T
- Bearing** Sealed. x 2pcs
- Axle** Cr-Mo Steel
- Axle Dim** 3/8"*120mm*160mm
- Spoke** 14G. 28,32,36
- Flange PCD** 62.5mm
- Flange Spacing** 67mm
- Option** DP7R-Loose Balls
DPBR-Loose Balls w/o CNC Flange
DS9R-Loose Balls M10 Solid Axle
DP5R-M10 QR Type
DK6R-Bolts Type



KT-576F

- Use** Fixie, Track, Commuter
- Features** Low Flange
- Body** Alloy 1 Piece Forged. CNC
- Bearing** Sealed. x 2 pcs
- Axle** Cr-Mo Steel
- Axle** 3/8"*100mm*140mm
- Spoke** 14G. 24,28,32,36
- Flange PCD** 40mm
- Flange Spacing** 74mm
- Option** 566F-Loose Balls



KT-513R Single Speed

- Use** Fixie, Track, Commuter
- Features** Low Flange
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** Thread Type L: Double Thread/R: B.C. 1.37*24T
- Bearing** Sealed. x 2pcs
- Axle** Cr-Mo Steel
- Spoke** 14G. 28,32,36
- Flange PCD** 45mm
- Flange Spacing** 57mm
- Option** 5J3R-Loose Balls





KT-MBAF

- Use** Street, Vert
- Features** Bolt Nut Type
- Body** Alloy 1 Piece Forged. CNC
- Bearing** Sealed. x 2 pcs
- Axle** 7075 Alloy. Machined
- Axle Dim** 3/8"*24T Axle Bolts*100mm
- Spoke** 14G. 32,36
- Flange PCD** 45mm
- Flange Spacing** 65mm
- Option** MBJF-Cr-Mo 3/8"*24T Axle Bolts*100mm



KT-MBAR 1S

- Use** Street, Vert
- Features** One-Piece Driver W/Bolt Nut Type
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** 9T Driver*4 Pawls
- Rolling System** Sealed. x 5pcs
- Bearing** 7075 Alloy. Machined
- Axle** M14 (3/8"*24T Axle Bolts)*110mm*120mm
- Spoke** 14G. 32,36
- Flange PCD** L: 51.5mm/R:57mm
- Flange Spacing** 57mm
- Option** MBCR-Cr-Mo Axle



KT-MIOF

- Use** Street, Freestyle
- Features** Bolt Nut type
- Body** Alloy 1 Piece Forged. CNC
- Rolling System** Loose Balls
- Axle** Cr-Mo Steel
- Axle Dim** 3/8"*24T Axle Bolts*100mm
- Weight** 224g
- Spoke** 14G. 32,36
- Flange PCD** 45mm
- Flange Spacing** 65mm



KT-MI8R Single Speed

- Use** Street, Vert
- Features** One-Piece Driver W/Bolt Nut Type
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** 9T Driver*4 Pawls
- Rolling System** Loose Balls+1 Seal Bearing
- Axle** Cr-Mo Steel
- Axle Dim** M14 (3/8"*24T Axle Bolts)*110mm*120mm
- Spoke** 14G. 32,36,48
- Flange PCD** 57mm
- Flange Spacing** 57mm



KT-MHGF



Use XC, Freeride, Commuter
Features Disc Brake Mount M6 Bolt Type
Body Alloy 1 Piece Forged. CNC
Bearing Sealed. x 2 pcs
Axle 7075 Alloy. Machined
Axle Dim M9*100mm*108mm
Spoke 14G. 28,32,36
Flange PCD 58mm
Flange Spacing 57.5mm



KT-M18F



Use Street, Freestyle
Features U-Brake
Body Alloy 1 Piece Forged. CNC
Rolling System Loose Balls
Axle Cr-Mo Steel
Axle Dim M14*100mm*170mm
Spoke 14G. 36
Flange PCD 45mm
Flange Spacing 72mm
Option M17F-3/8" Axle



KT-M89R 1S



Use Street, Freestyle
Features One-Piece Driver
Body Alloy 1 Piece Forged. CNC
Freewheel 9T Driver*4 Pawls
Rolling System Loose Balls+1 Seal Bearing
Axle Cr-Mo Steel
Axle Dim M14*110mm*180mm
Spoke 14G. 36,48
Flange PCD 57mm
Flange Spacing 57mm
Option M83R-3/8" Axle



KT-MI5R 1S Cassette



Use DH, XC, Freeride, Commuter
Features Disc Brake Mount
Body Alloy 1 Piece Forged. CNC
Freewheel Freehub body*5Pawls and 5 Spring w/12T-18T cog
Bearing Sealed. x 4pcs
Axle Cr-Mo Steel
Axle Dim 3/8"*135mm*175mm
Spoke 28,32,36,48
Flange PCD 44mm
Flange Spacing 78mm



KT-A89R 1S



Use Street, Freestyle
Features One-Piece Driver
Body Alloy 1 Piece Forged. CNC
Freewheel 9T Driver*3 Pawls
Rolling System Loose Balls+1 Seal Bearing
Axle Cr-Mo Steel
Axle Dim M14*110mm*160mm/175mm
Spoke 14G. 36,48
Flange PCD 52mm
Flange Spacing 57mm
Option KT-ADJR Seal Bearing Type



KT-3V5R Free Coaster



Use Street, Flatland, Commuter, Alternative
Features Free coaster
Body Alloy 1 Piece Forged. CNC
Freewheel One-piece driver 9T
Bearing Sealed. x 4 pcs
Axle Cr-Mo Steel
Axle Dim M14*110mm*175mm
Spoke 14G. 32,36
Flange PCD 58mm
Flange Spacing 60mm





KT-M6GF

Use BMX (Race), Street
Features U-Brake
Body Alloy 1 Piece Forged. CNC
Bearing Sealed. x 2 pcs
Axle Cr-Mo Steel
Axle Dim 3/8"*100mm*140mm
Spoke 14G. 28,32,36
Flange PCD 38mm
Flange Spacing 67mm



KT-M95R 1S

Use Street, Freestyle, Racing
Features Cassette Single Speed
Body Alloy 1 Piece Forged. CNC
Freewheel Steel 4 Pawls, 12T-18T Cogs
Bearing Sealed. x 4pcs
Axle Cr-Mo Steel
Axle Dim M14*110mm*175mm
Spoke 14G. 36H
Flange PCD 46mm
Flange Spacing 57.4mm
Option M98R-3/8" Axle
 M9ER-M6 Bolts Type




KT-A8BF

Use Folding, Kids, Alternative
Features V-Brake
Body Alloy 1 Piece Forged. CNC
Bearing Sealed. x 2 pcs
Axle 7075 Alloy. Machined
Axle Dim M9*74mm*82mm
Spoke 14G. 24,28,32
Flange PCD 34mm
Flange Spacing 50mm
Option A5BF M9*65mm*73mm



KT-ABOR 1S

Use Folding, Kids, Alternative
Features V-Brake
Body Alloy 1 Piece Forged. CNC
Freewheel Thread Type B.C 1.37*24T
Bearing Sealed. x 2 pcs
Axle 7075 Alloy. Machined M6 Bolt Type
Axle Dim M10*110mm*120mm
Spoke 14G. 16 24
Flange PCD 45mm
Flange Spacing 57mm



KT-A8QF

Use Folding, Kids, Alternative
Features V-Brake
Body Alloy 1 Piece Forged. CNC
Rolling System Loose Balls
Axle CrMo Steel M6 Bolt Type
Axle Dim M10*83mm*91mm
Spoke 14G. 20,24,28
Flange PCD 40mm
Flange Spacing 50mm
Option A86F-3/8" Axle
 A85F-M9 QR Type



KT-A5QR 1S

Use Folding, Kids, Alternative
Features V-Brake
Body Alloy 1 Piece Forged. CNC
Freewheel Thread Type B.C 1.37*24T
Rolling System Loose Balls
Axle CrMo Steel M6 Bolt Type
Axle Dim M10*110mm*120mm
Spoke 14G. 16 24
Flange PCD 45mm
Flange Spacing 57mm



KT-305R 1S




- Use** Cruiser, Kids, Commuter, Urban
- Features** Coaster Brake
- Body** Steel
- Freewheel** 14T/16T/18T/20T/22T sprocket
- Rolling System** Balls Retainer
- Axle** Cr-Mo/S45C Steel
- Axle Dim** 3/8"*110mm*167mm
- Spoke** 14G. 16,20,28,32,36
- Flange PCD** 51.5mm
- Flange Spacing** 47.7mm
- Option** 305RA For Beach Cruisers 847.5g
Cr-Mo Axle 10/12/13/14G*32/36/40H

305RB For BMX/Kids Bike
S45C Axle 846g 14G*12/16/20/28H

305RC For Plastic Wheel
S45C Axle 14G*3/6H

PART NO.	DESCRIPTION
E-1	SHELL
E-2	FLANGE
E-3	AXLE
E-4	BRAKE CONE
E-5	DUST CAP
E-6	DRIVER
E-7	DRAKE SHOE
E-8	SPRING HOLDER
E-9	CLUTCH SPRING
E-10	CLUTCH WASHER
E-11	CLUTCH CONE
E-12	BALL RETAINER 7/32" x 9pcs
E-13	BALL RETAINER 1/4" x 7pcs
E-14	CONE COVER
E-15	CONE
E-16	LOCK NUT (A) 17x 9mm
E-17	LOCK NUT (A) 17x 7mm
E-18	WASHER
E-19	BRAKE ARM
E-20	FLANGE NUT 3/8" x 24T
E-21	LOCK RING
E-22	SPROCKET 14T, 16T, 18T, 19T, 20T, 22T
E-23	CLIP NUT
E-24	CLIP SCREW
E-25	ARM CLIP
E-26	DUST CAP
E-27	DENG ARM CLIP



KT-3A5R



- Use** Cruiser, Commuter, Urban
- Features** Alloy Coaster Brake
- Body** Alloy 1 Piece Forged. CNC
- Freewheel** 14T/16T/18T/20T/22T sprocket
- Rolling System** Balls Retainer
- Axle** Cr-Mo Steel
- Axle Dim** 3/8"*110mm*167mm
- Spoke** 14G. 32,36
- Flange PCD** 51.5mm
- Flange Spacing** 59mm



KT-319R 1S



- Use** 4" wide tire, Chopper, Urban, Alternative
- Features** Coaster Brake
- Body** Steel
- Freewheel** 14T/16T/18T
- Rolling System** Balls Retainer
- Axle** Cr-Mo Steel
- Axle Dim** 3/8"*24T*170mm*210mm
- Spoke** 14G. 36
- Flange PCD** 51.5mm
- Flange Spacing** 101.3mm



KT-762R




Use Adult Tricycle
 Features Axle Set
 Freewheel 22T Sprocket Single Speed
 Bearing Sealed. x 4pcs
 Axle Dim M16.8*762mm
 Spoke 14G. 28,36
 Flange PCD 42mm
 Flange Spacing 70mm



KT-155F



Use Adult Tricycle
 Features Hub Shell
 Body Steel
 Bearing Sealed. x 2pcs
 Spoke 14G.28,36
 Flange PCD 42mm
 Flange Spacing 70mm



KT-156F



Use Adult Tricycle
 Features Hub Shell
 Body Steel
 Spoke 14G. 28,36
 Flange PCD 42mm
 Flange Spacing 70mm



KT-16CR 1S



Use Adult Tricycle
 Body Steel
 Rolling System Balls Retainer
 Axle S45C Steel
 Axle Dim 3/8"*124mm*175mm



KT-3D5R 1S



Use Adult Tricycle
 Body Steel
 Rolling System Balls Retainer
 Axle Cr-Mo Steel
 Axle Dim 3/8"*110mm*160mm



212TA

M12 Thru-Axle

215TA

M15 Thru-Axle



204H/205H

Weight:50.5g/56.5g



204L/205L

Weight:56g/60g

MODEL	OLD	PITCH	B±1	THREAD LENGTH	WITH NUT	SYSTEM
ROAD	100	M12*P1.5	120	12	-	-
		M12*P1.5	121.5	13.5	-	SHIMANO
		M12*P1.5	125	16	-	SRAM
		M15*P1.5	125	16	-	SRAM
MTB	142	M12*P1.5	163.5	13.5	-	SHIMANO
		M12*P1.5	165	18	-	SHIMANO
		M12*P1.0	166	20	Y	SYNTACE
		M12*P1.0	166	20	-	DT SWISS
	148	M12*P1.75	167	20	-	SRAM
		M12*P1.5	170	18	Y	SHIMANO
		M12*P1.5	172	18	Y	SHIMANO
		M12*P1.75	174	20	-	SRAM
FAT BIKE	150	M15*P1.5	199	12	-	ROCKSHOX
	197	M12*P1.5	227	18	Y	SHIMANO
		M12*P1.75	229	20	-	SRAM
MTB	100	M14*P1.5	145	16	Y	FOX
		M15*P1.5	150	20	-	SRAM



KT-204Y/KT-205Y

Weight:54g/61g



KT-204N/KT-205N

Weight:56g/61g



KT-258F/KT-259R

Weight:61g/66g



KT-206F/KT-207R

Weight:58g/116.5g



KT-260F/KT-261R

Weight:120g/160g



SPLINED TYPE

Loose Balls Type 8/9S:
KT-SB8-3:3 pawls
(Inner/outer seal included)
Weight:164g



SCREWING TYPE

Loose Balls Type:
KT-CB8:8/9S
KT-CB7:7S
(Inner/outer seal included)
Weight:184g



Alloy Cassette Body Type

Alloy cassette body for 4-5 seal bearing hubs
2 seal bearing
5 Pawls and 5 Spring
AL7075 Shimano 8/9/10/11 for MTB
AL7075 Sram 11/12 XD Driver for MTB



Cr-Mo Cassette Body Type

Cr-Mo cassette body for 4-5 seal bearing hubs
2 seal bearing
3 Pawls and 1 Spring
Shimano 8/9/10/11 for MTB
Sram 11/12 XD Driver for MTB

**淮安廠****明倫運動器材 (淮安) 有限公司**

江蘇省淮安經濟技術開發區深圳東路 289 號 P.C.:223001

H.A. Factory

No.289, ShenZhen East Road, Huai An Economic and Technological Development Area, JiangSu Province

TEL:0086-(0)517-89897100 FAX:0086-(0)517-89897071

浙江辦事處

浙江杭州市蕭山區原野汽配城 8 棟 46 號 P.C.:311200

Z.J. Office

NO. 46 Building 8, YuanYe Auto Parts City XiaoShan District HangZhou City ZheJiang China

TEL:0086-571-82236146 FAX:0086-571-82652135

MOBILE:0086-13967153199

天津辦事處

中国北方自行车电动车城 G1-212, 天津东丽区晋中街 P.C.300300 D13

T.J.Office

G1-212 Bicycle Electric Vehicle City, North China, Jinzhong Street, Dongli District, Tianjin

TEL : 0086(0)22-26790586 FAX : 0086(0)22-26790526

E-mail:kthub@yahoo.cn

台灣辦事處

42951 台灣台中市神岡區庄前路 28 號

Taiwan Office

No.28, Zhuangqian Rd., Shengang Dist., Taichung City 429, Taiwan (R.O.C.)

T:+886-4-2563-0919 F:+886-4-2563-0959

E-mail:leo@kthub.com

德國代理商**TAIMCO**

Taimco e.K. BahnhofstraBe 11

32105 Bad Salzuflen (Germany)

TEL:0049(0)5222-639715 FAX:0049(0)5222-366870

E-mail:service@taimcol.de Web:http://www.taimco.de/net

Germany Agent**巴西代理商**

Joy Tech Com. Imp. e Exp. Ltda.

Brazil Agent

website:www.joytech.com.br

E-mail: contato@joytech.com.br



QUANDO

QUANTA

明倫運動器材（淮安）有限公司 MING LUN SPORTS (HUAI'AN) CO.,LTD

T:+86-517-8989-7100 F:+86-517-8989-7071 E:kuztmpro@kuztm.net

江蘇省淮安經濟技術開發區深圳東路289號 郵編:223001

NO.289, Shenzhen East Road, Huai'an Economic And Technical Development Zone,
Jiangsu, China P.C.:223001



www.ktgroup.net