


SIMPLE IS MORE

2022 Catalogue

KUZTM



Ming Lun Sports (Huai'An) Co.,LTD
明倫運動器材（淮安）有限公司

T:+86-517-8989-7100 F:+86-517-8989-7071 E:kuztm@kthub.com

江蘇省淮安經濟技術開發區深圳東路289號 郵編:223001

NO.289, Shenzhen East Road, Huaian Economic And Technical Development Zone, Jiangsu, China P.C.:223001



PURSUE PERFECTION

KUZTM

Cycling HUBS

MTB HUB Series

— KUZTM
— Other brand



-  Indicates compatibility with SHIMANO 11sp
  Center Lock version available
-  High Precision Aluminum 7075 axle in OD17mm
  Indicates compatibility with SRAM XD 12sp
-  Indicates compatibility with SRAM XDR 11sp
-  4 in 1 system allowing the conversion between standard QR 135x145 to 12x135 , 12x142 , 10x135
-  5 in 1 system allowing the conversion between standard QR to 20mm , 15mm , 12mm , 9mm
-  Indicates the significant design which provides durability for E-MTB
- 


 Premium cartridge sealed bearing optimize your hub, ensuring that rolling smooth and water renaissance.
- 

 3/5/6 pawls freehub body with individual springs
-  Indicates compatibility with SHIMANO MICRO SPLINE 12sp



DHF112

O.L.D 110
 SPOKE HOLE 28/32/36
 P.C.D. 58/58
 AXLE 15MM
 SEALED BEARING 2PCS
 WEIGHT 197G

OPTION : CENTER LOCK VERSION : **DHF1C2**

OPTION : SUPER BOOST : **DHF412** 188G

DHF122

O.L.D 110
 SPOKE HOLE 28/32/36
 P.C.D. 58/58
 AXLE 20MM
 SEALED BEARING 2PCS
 WEIGHT 202G

OPTION : CENTER LOCK VERSION : **DHF1L2**



DHF222

O.L.D 100
 SPOKE HOLE 24/28/32/36
 P.C.D. 58/45
 AXLE 9/12/15MM
 SEALED BEARING 2PCS
 WEIGHT 137G

OPTION : CENTER LOCK VERSION : **DHF2C2**


OPTION : END CAP M9X100X108MM / 12X100MM





DHR1S5-XT

O.L.D 148
 SPOKE HOLE 28/32/36
 P.C.D. 58/58
 AXLE 12MM
 SEALED BEARING 6PCS
 PALWS 5
 WEIGHT 360g



OPTION : CENTER LOCK VERSION : DCR2S5
 OPTION : SRAM XD DRIVE : DHR1S5-XD
 OPTION : SHIMANO HG CASSETTE : DHR1S5-SH



DHR2S5-SH

O.L.D 150
 SPOKE HOLE 32/36
 P.C.D. 58/58
 AXLE 12MM
 SEALED BEARING 6PCS
 PALWS 5
 WEIGHT 370G



OPTION : CENTER LOCK VERSION : DCR2S5-SH
 OPTION : SRAM XD DRIVE : DHR2S5-XD
 OPTION : SHIMANO MICRO SPLINE : DHR2S5-XT
 OPTION : CAP FOR 12X157

DHR275 7SP

O.L.D 150
 SPOKE HOLE 32/36
 P.C.D. 58/58
 AXLE 12MM
 SEALED BEARING 5PCS
 PALWS 5
 WEIGHT 327G
 OPTION : CAP FOR 12X157




DHR2S4-XT

O.L.D 142
 SPOKE HOLE 28/32/36
 P.C.D. 58/58
 AXLE 12MM
 SEALED BEARING 5PCS
 PALWS 5
 WEIGHT 345g



OPTION : CENTER LOCK VERSION : DCR2S4-SH
 OPTION : SRAM XD DRIVE : DHR2S4-XD
 OPTION : SHIMANO HG CASSETTE : DHR2S4-SH





DER115

- O.L.D 148
- SPOKE HOLE 32/36
- P.C.D. 58/58
- AXLE 12MM
- SEALED BEARING 5PCS / 1 OVERSIZED SEALED BEARING
- PALWS 5
- WEIGHT 374G
- OPTION : CENTER LOCK VERSION : **DER1C5**
- OPTION : SRAM XD DRIVER : **DER1X5** 368G
- OPTION : 12X142 : **DER214** 363G

There's an e-bike for everything





MSR114

O.L.D 142
 SPOKE HOLE 28/32/36
 P.C.D. 58/58
 AXLE 12MM
 SEALED BEARING 4PCS
 PALWS 5
 WEIGHT 289G
 ACCESSORY ALLOY SPACER / SPROCKET 14-18T /
 LOCK RING



OPTION : CENTER LOCK VERSION : **MSR1C4**

OPTION : 3/8 BOLT TYPE : **MSR184**

OPTION : CAP FOR 12x135mm

OPTION : BOLT TYPE : **MSR3H5**



MDR114(MIIR)

O.L.D 135
 SPOKE HOLE 32/36
 P.C.D. 58/58
 AXLE 3/8 BOLT TYPE
 SEALED BEARING 4PCS
 PALWS 4SB + 1NEEDLE BEARING
 WEIGHT 331G

OPTION : 9T /10T /11T/12T/13T AVAILABLE

CRF612 (KT-XF1F)

O.L.D 100
 SPOKE HOLE 24/28/32/36
 P.C.D. 58/45
 AXLE 9/12/15MM
 SEALED BEARING 2PCS
 WEIGHT 169G



OPTION : CENTER LOCK VERSION : **CRF6L2(KT-TZ5F)** 139G

OPTION : AXLE KIT FOR CONVERTER TO M9X100X108



CRR614

O.L.D 142
 SPOKE HOLE 28/32
 P.C.D. 58/51
 AXLE 12MM
 SEALED BEARING 4PCS
 PALWS 3
 WEIGHT 282G

OPTION : CENTER LOCK VERSION : **CRR6L4** 262G

OPTION : SRAM XDR DRIVER : **CXR614** 274G

OPTION : CAP FOR 12X135/M9X100X108 AVAILABLE



CXR614

O.L.D 142
 SPOKE HOLE 28/32
 P.C.D. 58/51
 AXLE 12MM
 SEALED BEARING 4PCS
 PALWS 3
 WEIGHT 274G

OPTION : CENTER LOCK VERSION : **CXR6L4** 262G

OPTION : CAP FOR 12X135/M9X100X108 AVAILABLE



CRF6L2 (TZ5F)

O.L.D 100
 SPOKE HOLE 24/28/32/36
 P.C.D. 45/45
 AXLE 9/12/15MM
 SEALED BEARING 2PCS
 WEIGHT 139G

OPTION : AXLE KIT FOR CONVERTER TO 9MMX100X108



CRR6L4

O.L.D 142
 SPOKE HOLE 28/32
 P.C.D. 51/45
 AXLE 12MM
 SEALED BEARING 4PCS
 PALWS 3
 WEIGHT 276G

OPTION : SRAM XDR DRIVER : **CXR6L4** 255G

OPTION : CAP FOR 12X135/M9X100X108 AVAILABLE



SPR224

O.L.D 130
 SPOKE HOLE 20/24
 AXLE M10
 SEALED BEARING 4PCS
 PALWS 3
 WEIGHT 262G

OPTION : CAMPY DRIVER : **SPR2C4** 265G

OPTION : SRAM XDR DRIVER : **SPR2X4**



SPR2X4

O.L.D 130
 SPOKE HOLE 20/24
 AXLE M10
 SEALED BEARING 4PCS
 PALWS 3
 WEIGHT 226G





SPF412

O.L.D 100
 SPOKE HOLE 18/20
 AXLE 9MM
 SEALED BEARING 2PCS
 WEIGHT 98G



SPR414

O.L.D 130
 SPOKE HOLE 21/24
 AXLE M10
 SEALED BEARING 4PCS
 PALWS 3
 WEIGHT 249G

OPTION : CAMPY DRIVER : **SPR4C4**



SPF222

O.L.D 100
 SPOKE HOLE 18/20
 AXLE 9MM
 SEALED BEARING 2PCS
 WEIGHT 90G



SPF322

O.L.D 100
 SPOKE HOLE 18/20
 AXLE 9MM
 SEALED BEARING 2PCS
 WEIGHT 78G

FXF212

O.L.D 74
 SPOKE HOLE 10/16/20
 AXLE 9MM / M6 BOLT TYPE
 SEALED BEARING 2PCS
 WEIGHT 75G

OPTION : CAP FOR 74w / 84w / 90w / 95w / 100w



FDf112 (KT-S73F)

O.L.D 74
 SPOKE HOLE 24/28/32
 AXLE 9MM
 SEALED BEARING 2PCS
 WEIGHT 173G





BXF112

O.L.D 100
 SPOKE HOLE 28/36
 P.C.D. 45/45
 AXLE M10 BOLT TYPE
 SEALED BEARING 2PCS
 WEIGHT 146G

OPTION : 3/8 BOLT TYPE : **BXF182**

BXF202

O.L.D 100
 SPOKE HOLE 28/36
 P.C.D 51/51
 AXLE 20MM
 SEALED BEARING 2PCS
 WEIGHT 170G

OPTION : ADAPTOR FOR 3/8 BOLT TYPE AVAILABLE



BXR114

O.L.D 110
 SPOKE HOLE 28/36
 P.C.D. 60/44
 AXLE M10 BOLT TYPE
 SEALED BEARING 4PCS
 PALWS 6
 WEIGHT 289G

ACCESSORY ALLOY SPACER / SPROCKET 14-18T / LOCK RING

OPTION : 3/8 BOLT TYPE : **BXR184**

OPTION : CENTER LOCK VERSION : **BCR114 M10 BOLT**

OPTION : CENTER LOCK VERSION : **BCR184 3/8 BOLT**



BXR214

O.L.D 110
 SPOKE HOLE 28/36
 P.C.D. 61/45
 AXLE M10 BOLT TYPE
 SEALED BEARING 4PCS
 PALWS 6
 WEIGHT 272G

ACCESSORY ALLOY SPACER / SPROCKET 14-18T / LOCK RING

OPTION : 3/8 BOLT TYPE : **BXR284**



BMR214

O.L.D 110

SPOKE HOLE 36

P.C.D. 61/45

AXLE M14 AXLE

SEALED BEARING 4PCS +1 NEEDLE BEARING

PALWS 3


LHD & RHD ONE PIECE DRIVER 9T /10T /11T

WEIGHT 566G

OPTION : 3/8 BOLT TYPE : **BMR114**



PATENT



KUZTM





FIF112

O.L.D 100
 SPOKE HOLE 32/36
 P.C.D 61.5/61.5
 AXLE 3/8
 SEALED BEARING 2PCS
 WEIGHT 229G

OPTION QR TYPE : **FIF1Q2**



FIR112

O.L.D 120
 SPOKE HOLE 32/36
 P.C.D 62.5/62.5
 AXLE 3/8
 SEALED BEARING 2PCS
 Freewheel : L : Fixed Gear / R : BC 1.37X24T
 ACCESSORY 14/15/16/17/18T (1/8") &
 WASHER 1.0T & LOCK RING 53G
 WEIGHT 299G (WITHOUT ACCESSORY)

OPTION QR TYPE : **FIR1Q2**

OPTION BOTH SIDE FIXED : **FIR122**



MODEL	OLD	PITCH	B±1	THREAD LENGTH	WITH NUT	SYSTEM
ROAD	100	M12*P1.5	120	12	-	-
		M12*P1.5	121.5	13.5	-	SHIMANO
		M12*P1.5	125	16	-	SRAM
		M15*P1.5	125	16	-	SRAM
MTB	142	M12*P1.5	163.5	13.5	-	SHIMANO
		M12*P1.5	165	18	-	SHIMANO
		M12*P1.0	166	20	Y	SYNTACE
		M12*P1.0	166	20	-	DT SWISS
		M12*P1.75	167	20	-	SRAM
		M12*P1.5	170	18	Y	SHIMANO
		M12*P1.5	172	18	Y	SHIMANO
		M12*P1.75	174	20	-	SRAM
	148	M12*P1.5	178	18	Y	SHIMANO
		M12*P1.75	180	20	-	SRAM
FAT BIKE	150	M15*P1.5	199	12	-	ROCKSHOX
	197	M12*P1.5	227	18	Y	SHIMANO
		M12*P1.75	229	20	-	SRAM
MTB	100	M14*P1.5	145	16	Y	FOX
		M15*P1.5	150	20	-	SRAM

KU12CR-SH
KU12CR-SR 43g



KU12KR-SH
KU12KR-SR



KU12AR-SH
KU12AR-SR 81g



KU12BR-SH
KU12BR-SR 64g



KU12DR-SH
KU12DR-SR 44g





FREEHUB BODY

FOR MTB DHR SERIES



FOR E-MTB DER SERIES



FOR ROAD/GRAVEL CXR/CRR SERIES



150T FREEHUB BODY FOR BXR SERIES




CENTER LOCK ADAPTER

PARTS NO.:TZ5F-KIT Converter center lock to 6-bolt



ALLOY SPACER

ALLOY SPACER



FLAT SPROCKET KIT OPTION

Style A 13T ,14T , 15T, 16T, 17T (3/32 2.3T)



Style B 13T ,14T , 15T, 16T, 17T (3/32 2.3T)

